

A photograph of two surgeons in an operating room. The surgeon on the left is a woman wearing a blue surgical cap, a white face mask, and blue scrubs. The surgeon on the right is a man wearing a surgical cap, a white face mask, glasses, and a head-mounted light. Both are wearing blue gloves and are focused on a surgical procedure. In the background, there is a large, circular surgical light and a medical monitor displaying vital signs. A large, dark blue, semi-transparent shape is overlaid on the bottom left of the image, containing the text 'Interventional Products Catalogue'.

Interventional Products Catalogue



HYDROPHILIC GUIDE WIRES

Features

- Hydrophilic coating provide excellent lubricity;
- Superelastic nitinol Wire core for kink resistance prevent guidewire kinking;
- Full length tapered core design for excellent torque transmission and flexibility;
- Special polymer cover the good radiopaque performance;



Product No.	Diameter	Length (cm)	Shaft Stiffness	Tip form	Product No.	Diameter	Length (cm)	Shaft Stiffness	Tip form
42.01.10142	0.032"	150	Standard	Straight	42.01.10232	0.035"	180	Standard	JTip
42.01.10172	0.032"	150	Standard	Angled	42.01.10151	0.035"	260	Standard	Straight
42.01.10225	0.032"	150	Standard	JTip	42.01.10181	0.035"	260	Standard	Angled
42.01.10143	0.032"	180	Standard	Straight	42.01.10234	0.035"	260	Standard	JTip
42.01.10173	0.032"	180	Standard	Angled	42.01.10154	0.038"	150	Standard	Straight
42.01.10226	0.032"	180	Standard	JTip	42.01.10184	0.038"	150	Standard	Angled
42.01.10145	0.032"	260	Standard	Straight	42.01.10237	0.038"	150	Standard	JTip
42.01.10175	0.032"	260	Standard	Angled	42.01.10155	0.038"	180	Standard	Straight
42.01.10228	0.032"	260	Standard	JTip	42.01.10185	0.038"	180	Standard	Angled
42.01.10148	0.035"	150	Standard	Straight	42.01.10238	0.038"	180	Standard	JTip
42.01.10178	0.035"	150	Standard	Angled	42.01.10157	0.038"	260	Standard	Straight
42.01.10231	0.035"	150	Standard	JTip	42.01.10187	0.038"	260	Standard	Angled
42.01.10149	0.035"	180	Standard	Straight	42.01.10240	0.038"	260	Standard	JTip
42.01.10179	0.035"	180	Standard	Angled					

GUIDE WIRES (NITINOL)

Features

- Kink resistance
- Wire Coil: Stainless steel
- Core: Nitinol
- Polymer cover: None
- Coating: None

Dimentions	
OD Range	0.018"-0.050"
Length Range	10cm-300cm
J Radius	1.5mm-15mm



GUIDE WIRES (NITINOL)

Product No.				Length (cm)	Tip form
0.032"	0.035"	0.038"			
42.01.50000	42.01.50002	42.01.50004		45	Straight
42.01.50001	42.01.50003	42.01.50005		45	J
42.01.50006	42.01.50008	42.01.50010		60	Straight
42.01.50007	42.01.50009	42.01.50011		60	J
42.01.50012	42.01.50014	42.01.50016		70	Straight
42.01.50013	42.01.50015	42.01.50017		70	J
42.01.50018	42.01.50020	42.01.50022		150	Straight
42.01.50019	42.01.50021	42.01.50023		150	J

GUIDE WIRES (stainless steel)

Features

- Wires Coil: Stainless Steel
- Standrad fixed core
- Coating: None

Dimentions	
OD Range	0.018"-0.050"
Length Range	10cm-300cm
J Radius	1.5mm-15mm



0.032"	Product No. 0.035"	0.038"	Length (cm)	Tip form
42.01.60000	42.01.60002	42.01.60004	45	Straight
42.01.60001	42.01.60003	42.01.60005	45	J
42.01.60006	42.01.60008	42.01.60010	60	Straight
42.01.60007	42.01.60009	42.01.60011	60	J
42.01.60012	42.01.60014	42.01.60016	70	Straight
42.01.60013	42.01.60015	42.01.60017	70	J
42.01.60018	42.01.60020	42.01.60022	150	Straight
42.01.60019	42.01.60021	42.01.60023	150	J

HEMOSTASIS VALVE SETS

Features

- Various tpyes to meet the clinician's habits
- Pressure resistance and good sealing valve to reduce the blood loss.

Contents

- Hemostasis Valve
- Guide Wire Insertion Tool
- Torque Device



Product No.	Description	Product No.	Description
42.03.10000	Twist Y Connector	42.03.10002	Push pull Y Connector with 25 cm extension line and stopcock
42.03.10001	Push pull Y Connector	42.03.10006	Y Click Type with 25 cm extension line and stopcock
42.03.10004	Y Click Type	42.03.10003	Push pull Y Connector with 45 cm extension line and stopcock
42.03.10005	Twist Y Connector with 25 cm extension line and stopcock	42.03.10012	Y click Connector with 45 cm extension line and stopcock:



TRANSRADIAL INTRODUCER SETS

Features

- Perform diagnostic and interventional procedures without upsizing to a large sheath.
- click-off dilator lock prevents dilator back-out during insertion and allows one-hand unlocking.
- Off Hemostasis valve to avoid blood reflux and air aspiration

Contents

- Transradial Introducer Sheath
- Dilator
- Kink-Resistant Guide Wire
- Syringes
- Introducer Needle



Click Type-Ter II

Nitinol core with SS spring core guidewire included

Product No.	Size(Fr.)	length(cm)	Nitinol Guidewire	Introducer Needle
42.10.20205	5	7	0.018"×45cm Straight	21G x 4.0 cm
42.10.20206	5	10	0.018"×45cm Straight	21G x 4.0 cm
42.10.20207	5	11	0.018"×45cm Straight	21G x 4.0 cm
42.10.20209	6	7	0.018"×45cm Straight	21G x 4.0 cm
42.10.20210	6	10	0.018"×45cm Straight	21G x 4.0 cm
42.10.20192	6	11	0.018"×45cm Straight	21G x 4.0 cm
42.10.20212	7	7	0.018"×45cm Straight	21G x 4.0 cm
42.10.20213	7	10	0.018"×45cm Straight	21G x 4.0 cm
42.10.20214	7	11	0.018"×45cm Straight	21G x 4.0 cm

TRANSRADIAL INTRODUCER SETS

Features


Perform diagnostic and interventional procedures without upsizing to a larger sheath

Optimal radial access, especially in women with smaller radial arteries

Less penetration resistance than conventional sheaths

Contents

- Transradial Introducer Sheath
- Dilator
- Kink-Resistant Guide Wire
- Syringe
- I.V.Cannula / Introducer Needle



TWIST TYPE -Med

Nitinol shaft with SS spring coil tip guidewire included

Product No.	Size(Fr.)	length(cm)	Nitinol Guidewire	I.V.Cannula	Product No.	Size(Fr.)	length(cm)	Nitinol Guidewire	I.V.Cannula
42.10.10000	4	7	0.018**65cm Angled	20G x 3.2 cm	42.10.10001	4	9	0.018**65cm Angled	20G x 3.2 cm
42.10.10002	5	7	0.018**65cm Angled	20G x 3.2 cm	42.10.10003	5	11	0.018**65cm Angled	20G x 3.2 cm
42.10.10005	6	7	0.018**65cm Angled	20G x 3.2 cm	42.10.10006	6	11	0.018**65cm Angled	20G x 3.2 cm
42.10.10008	7	7	0.018**65cm Angled	20G x 3.2 cm	42.10.10009	7	11	0.018**65cm Angled	20G x 3.2 cm
42.10.10012	8	7	0.018**65cm Angled	20G x 3.2 cm					
					42.10.10004	5	16	0.018**65cm Angled	20G x 3.2 cm
					42.10.10007	6	16	0.018**65cm Angled	20G x 3.2 cm
					42.10.10010	7	16	0.018**65cm Angled	20G x 3.2 cm

**CLICK TYPE-Ter**

Nitinol core with plastic jacket guidewire included

Product No.	Size(Fr.)	length(cm)	Nitinol Guidewire	I.V.Cannula
42.10.20000	4	7	0.025"*45cm straight	20G x 3.2 cm
42.10.20003	5	7	0.025"*45cm straight	20G x 3.2 cm
42.10.20006	6	7	0.025"*45cm straight	20G x 3.2 cm
42.10.20009	7	7	0.025"*45cm straight	20G x 3.2 cm
42.10.20001	4	11	0.025"*45cm straight	20G x 3.2 cm
42.10.20004	5	11	0.025"*45cm straight	20G x 3.2 cm
42.10.20007	6	11	0.025"*45cm straight	20G x 3.2 cm
42.10.20010	7	11	0.025"*45cm straight	20G x 3.2 cm
42.10.20002	4	16	0.025"*45cm straight	20G x 3.2 cm
42.10.20005	5	16	0.025"*45cm straight	20G x 3.2 cm
42.10.20008	6	16	0.025"*45cm straight	20G x 3.2 cm
42.10.20011	7	16	0.025"*45cm straight	20G x 3.2 cm

CLICK TYPE-Coo

Nitinol core with SS spring coil guidewire included

Product No.	Size(Fr.)	length(cm)	Nitinol Guidewire	Introducer Needle
42.10.30000	4	7	0.021"*45cm Straight	20G x 3.8 cm
42.10.30003	5	7	0.021"*45cm Straight	20G x 3.8 cm
42.10.30006	6	7	0.021"*45cm Straight	20G x 3.8 cm
42.10.30009	7	7	0.021"*45cm Straight	20G x 3.8 cm
42.10.30001	4	11	0.021"*45cm Straight	20G x 3.8 cm
42.10.30004	5	11	0.021"*45cm Straight	20G x 3.8 cm
42.10.30007	6	11	0.021"*45cm Straight	20G x 3.8 cm
42.10.30010	7	11	0.021"*45cm Straight	20G x 3.8 cm
42.10.30002	4	16	0.021"*45cm Straight	20G x 3.8 cm
42.10.30005	5	16	0.021"*45cm Straight	20G x 3.8 cm
42.10.30008	6	16	0.021"*45cm Straight	20G x 3.8 cm
42.10.30011	7	16	0.021"*45cm Straight	20G x 3.8 cm



INTRODUCER SETS

Features

- Small OD and large ID minimizes the size compromising ease of device passage.
- Seamless guide wire to dilator and dilator to sheath risks of gaps and arterial damage.
- * We can supply kink resistance nitinol guide wire to increase clinician confidence

Contents

- Femoral Introducer Sheath+ dilator
- Syringe
- Guide Wire
- introducer needle
- Scalpel



TWIST TYPE-Med					Product No.	Size(Fr.)	length(cm)	Nitinol Guidewire	Introducer Needle
42.09.10000	4	9	0.021 ^{mm} *45cm J	20G x 3.8 cm	42.09.10007	4	19	0.021 ^{mm} *60cm J	20G x 3.8 cm
42.09.10001	5	11	0.038 ^{mm} *45cm J	18G x 6.5 cm	42.09.10008	5	23	0.038 ^{mm} *60cm J	18G x 6.5 cm
42.09.10002	6	11	0.038 ^{mm} *45cm J	18G x 6.5 cm	42.09.10009	6	23	0.038 ^{mm} *60cm J	18G x 6.5 cm
42.09.10003	7	11	0.038 ^{mm} *45cm J	18G x 6.5 cm	42.09.10010	7	23	0.038 ^{mm} *60cm J	18G x 6.5 cm
42.09.10004	8	11	0.038 ^{mm} *45cm J	18G x 6.5 cm	42.09.10011	8	23	0.038 ^{mm} *60cm J	18G x 6.5 cm
42.09.10005	9	11	0.038 ^{mm} *45cm J	18G x 6.5 cm	42.09.10012	9	23	0.038 ^{mm} *60cm J	18G x 6.5 cm
42.09.10006	10	11	0.038 ^{mm} *45cm J	18G x 6.5 cm	42.09.10013	10	23	0.038 ^{mm} *60cm J	18G x 6.6 cm



Product No.	Size(Fr.)	length(cm)	Guidewire	Introducer Needle	Product No.	Size(Fr.)	length(cm)	Nitinol Guidewire	Introducer Needle
42.09.20000	4	9	0.021"×45cm J	20G x 3.8 cm	42.09.20005	4	19	0.021"×60cm J	20G x 3.8 cm
42.09.20001	5	11	0.038"×45cm J	18G x 6.5 cm	42.09.20006	5	23	0.038"×60cm J	18G x 6.5 cm
42.09.20002	6	11	0.038"×45cm J	18G x 6.5 cm	42.09.20007	6	23	0.038"×60cm J	18G x 6.5 cm
42.09.20003	7	11	0.038"×45cm J	18G x 6.5 cm	42.09.20008	7	23	0.038"×60cm J	18G x 6.5 cm
42.09.20004	8	11	0.038"×45cm J	18G x 6.5 cm	42.09.20009	8	23	0.038"×60cm J	18G x 6.5 cm

CLICK TYPE-Coo

Product No.	Size(Fr.)	length(cm)	Guidewire	Introducer Needle	Product No.	Size(Fr.)	length(cm)	Nitinol Guidewire	Introducer Needle
42.09.30000	4	9	0.021"×45cm J	20G x 3.8 cm	42.09.30004	4	19	0.021"×60cm J	20G x 3.8 cm
42.09.30001	5	11	0.038"×45cm J	18G x 6.5 cm	42.09.30005	5	23	0.038"×60cm J	18G x 6.5 cm
42.09.30002	6	11	0.038"×45cm J	18G x 6.5 cm	42.09.30006	6	23	0.038"×60cm J	18G x 6.5 cm
42.09.30003	7	11	0.038"×45cm J	18G x 6.5 cm	42.09.30007	7	23	0.038"×60cm J	18G x 6.5 cm

PEELABLE INTRODUCER SETS

Features

- Lower insertion forces during placement into vasculature;
 - Reduced drag on catheter during placement during the sheath;
 - Convenient dilator to sheath interlock
- * We can supply kink resistance nitinol guide wire to increase clinician confidence

Contents

- Peelable introducer Sheath+ dilator
- Syringe
- Guide Wire
- introducer needle
- Scapel



Sheath Length: 14CM

Product No.	Size(Fr.)	Tube OD(mm)	Min.ID(mm)	Min.Tip ID(mm)	Product No.	Size(Fr.)	Tube OD(mm)	Min.ID(mm)	Min.Tip ID(mm)
42.11.10000	5.0	2.29	1.73	1.68	42.11.10003	8.0	3.33	2.72	2.67
42.11.10001	6.0	2.62	2.06	2.01	42.11.10004	9.0	3.66	3.05	3.00
42.11.10002	7.0	3.00	2.39	2.34	42.11.10005	10.0	4.04	3.38	3.33